

**StyleLite**<sup>®</sup>  
by **EGR**

# SUPERIOR HIGH GLOSS PANELS



**EGR**










[stylelite-aca.com](http://stylelite-aca.com)



# COLOUR RANGE


Due to the nature of the printing process, the colours and images depicted throughout this brochure may vary compared to the actual products' colour and results achieved. Images and colours are to be used as a guide only.

\* Denotes Metallic.






SILVER \*




ARCTIC



FROST




ESPRESSO



ALABASTER




ASH




RUBY



FOSSIL




SIERRA



SIENNA TEAK



TIERRA ELM



LAVATO OAK

StyleLite is the Australian made premium high gloss acrylic finished board for doors, drawer fronts and joinery.

StyleLite provides a superior appearance compared with laminates, 2 pack or vinyl - making it the preferred choice for interior designers and architects.

StyleLite is laminated using world class, PUR (polyurethane) hot melt bonding system which delivers unsurpassed adhesion and a premium ripple free finish that is highly resistant to heat and moisture.

## SUPERIOR FEATURES

- Ultra high gloss ripple free surface
- UV and colour fade protected
- High scratch resistance
- Won't chip, crack or delaminate
- Very easy to clean and maintain
- Economical and easy to fabricate

## APPLICATIONS

- Kitchen Cabinets & Doors
- Office Furniture & Partitions
- Entry & Passageway Doors
- Wall Cladding in Retail Outlets
- Wardrobe Doors
- Entertainment & Occasional Furniture



## CLEANING

Best results are achieved by using a soft cloth or chamois with a non abrasive soap or detergent in warm water.

## POLISHING

Minor scratches and scuffs can be easily removed from StyleLite by hand with selected liquid polishes and soft polishing cloths.

## ENVIRONMENT

StyleLite is fully recyclable by mechanical means.

StyleLite sheet is manufactured and then laminated without the use of any VOC's or other harmful emissions.

StyleLite is hygienic and does not promote bacterial growth or transmission.

## STANDARD BOARD OPTIONS

Applications	Substrate	Lamination	Finished panel thickness
Kitchens, Bathroom, Joinery	2400 x 1200 x 16mm MR MDF E0*	PUR Laminated StyleLite Gloss both sides	18mm
Wardrobe	2400 x 1200 x 7.5mm MDF	PUR Laminated StyleLite Gloss Face and Arctic Gloss Back	9.5mm
Wardrobe	2700 x 1200 x 7.5mm MDF	PUR Laminated StyleLite Gloss Face and Arctic Gloss Back	9.5mm

\*E0 MR MDF board is a low formaldehyde emitting MDF product that has a formaldehyde emission of less than 0.5mg/L, which is lower than the current Australian standard.

### EDGE TAPE

A near seamless appearance can be achieved using StyleLite high gloss ABS colour matched edge tape.

Many other contrast and dual colour tapes can be used to achieve a sophisticated and contemporary style.

### METALLIC COLOURS

Metallic colours are directional. Take note of the arrows on the protective sheet. We recommend all metallic panels are positioned with the arrows in one direction to avoid apparent shade or colour variation.

## STYLELITE PROPERTIES & PERFORMANCE

Properties	Specification	Method
Gloss Level	> 90%	Viewed at 60°
Mass	13.5kg/m <sup>2</sup>	18mm
	8.0kg/m <sup>2</sup>	9.5mm
Surface Hardness	2H - 3H	Pencil Hardness
Heat Distortion Temperature	85°C	ASTM D648
Service Temperature	70°C	Continuous
Fire Rating	Group 4	A2.4 BCA
Bond Strength	100N (25N min)	AS/NZS 4266.28
Surface Resistance	1.25 MPa (0.9 MPa min)	AS/NZS 4266.7
Stain Resistance	No effect	AS/NZS 4266.25
Steam Resistance	No change after 30 min	AS/NZS 4266.23
Cracking Resistance	No effect	AS/NZS 4266.24
Dry Heat Resistance	No loss of gloss or colour change	AS/NZS 4266.26

### STANDARDS

StyleLite laminated board complies with AS/NZS 4386.1 Domestic Kitchen Assemblies for Appearance, Flatness, Substrate and Adhesive Bonding System.



DISTRIBUTED BY:

## Sharp Plywood

1171 Boundary Rd  
Wacol, QLD 4076

Ph: 1300 742 777

Fax: 07 3271 3652

[sharplywood.com.au](http://sharplywood.com.au)



**StyleLite**<sup>®</sup>  
by **EGR**

1. EGR expressly disclaims any representations or warranties of any kind, whether express or implied, as to the accuracy, currency, completeness and/or the merchantability or fitness for a particular purpose of any information contained in or provided via this documentation and/or any service or product described or promoted in this document. 2. It is the customer's responsibility to thoroughly examine StyleLite by a qualified person, to determine whether it is suitable for the application it was purchased for. 3. The receiver of our products is fully responsible to check and to take into account possible third party's patent rights, as well as the existing laws in the country of installation prior to installing our product. 4. No liability may be derived from these images or statements nor from our free technical advice. 5. EGR reserves the right to change, add or remove colors or product without notice. 6. StyleLite is for indoor use only. 7. StyleLite and EGR are registered trademarks. 8. Images and colours should be used as a guide only.



**AUSTRALIA**  
EGR HEAD OFFICE  
Tel: +61 7 3718 1100  
Fax: +61 7 3718 1140  
Email: [info@stylelite-aca.com](mailto:info@stylelite-aca.com)

© Copyright 2013 / Patent Pending Oakmoore Pty Ltd trading as EGR. ABN: 13 056 159 570

To view the StyleLite website scan the QR code with your smart device